



T11 MK12



GRAND POWER T11, caliber 10x28 is a pistol of „less lethal” weapon category using rubber bullet ammunition. The appearance of this model is almost identical to our **sub-compact** sized model P11 manufactured in 9 mm Luger caliber. The **T** in its name stands for **TRAUMATIC**, as the pain caused by this kind of ammunition is paralyzing with greater STOP power than 9 mm live calibers. The barrel is smooth bore, cannot use lethal ammunition. **T11 means future of self defense and riot control**, perfectly suitable for private security, such as airport police, railway police as well as first contact police forces and local police.

Rubber bullet impact is ment to cause pain but not serious injury. They are expected to produce contusions, abrasions and hematomas. However, they may cause **bone fractures, injuries to internal organs or death** in some cases.

This pistol uses BlowBack operation system distinguished with simplicity, reliability and dirt-resistance. The trigger and striker mechanisms are designed with the minimum number of parts to allow also field disassembly for emergency cleaning. It works in both the single- and double-action modes equipped with both handed manual safety lock. Caliber 10x28 reaches muzzle velocity of 550 m/s (up to 270 J) and 12 mm diameter rubber ball has lethal impact for short distance up to 5 metres. Rubber bullet weights 1,8 grams and velocity of bullet decreasing rapidly because of air resistance what minimizes possibility of injuries to oher persons.

The slide is made of high quality CrNiMo steel, which guarantees a long durability for the firearm. The steel is heat processed to a hardness of 40 - 42 HRC and consequently carbonoxi-nitrided by technology QPQ to 750 HV. The metal container with slide rails is embedded in a plastic frame and is manufactured from high quality CrMo steel and reconditioned by QPQ technology to a surface hardness value of 700 HV. Hardness of the core material of the container is 30 HRC. Barrels are made of CrV steel and treated by carbonitriding to the depth of 0.5 mm. Hardness of the core material of the barrel is between 45 and 48 HRC. Surface hardness of the carbonitrided layer is from 52 to 54 HRC. The frame is made of high quality polyamide GF 30.

Pistol comes in plastic case with 2 magazines with capacity of 12 rounds, cleaning brush, Hex wrench for adjusting rear sight, warranty card, instruction manual.



Caliber	10x28T Rubber
Trigger mechanism	SA/DA
Trigger resistance	20~25 N / 35~40 N
Magazine capacity	12 round
Magazine material	Steel
Overall length	179 mm
Height without magazine	118 mm
Slide / Frame Width	28 mm / 36 mm
Barrel Length	85 mm
Weight without magazine	640 g
Weight with magazine	737 g
Safety Lock	Ambidextrous manual safety, Safety stop